

SPECYFIKACJA TECHNICZNA PRZEDMIOTU ZAMÓWIENIA

Etap I - termin realizacji: 14 dni od daty podpisania Umowy

Kod produktu	Opis	Ilość	CENA
ACI-C9336-APIC-B1	ACI Bundle with 2 9336 and APIC	1	
APIC-CLUSTER-M2	APIC Cluster - Medium Configurations (Up to 1000 Edge Ports)	1	
APIC-MRAID12G	Avila Cisco 12G SAS Modular Raid Controller (Raid 0/1)	1	
APIC-PSU1-770W	770W power supply for USC C-Series	1	
APIC-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	1	
APIC-TPM2-001	Trusted Platform Module	1	
R2XX-RAID0	Enable RAID 0 Setting	1	
APIC-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	2	
APIC-PSU1-770W	770W power supply for USC C-Series	1	
APIC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2	
APIC-SERVER-M2	APIC Appliance - Medium Configuration (Upto 1000 Edge Ports)	1	
APIC-MRAID12G	Avila Cisco 12G SAS Modular Raid Controller (Raid 0/1)	1	
APIC-PSU1-770W	770W power supply for USC C-Series	1	
APIC-SERVER-M2	APIC Appliance - Medium Configuration (Upto 1000 Edge Ports)	1	
APIC-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	1	
APIC-TPM2-001	Trusted Platform Module	1	
R2XX-RAID0	Enable RAID 0 Setting	1	
APIC-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	2	
APIC-PSU1-770W	770W power supply for USC C-Series	1	
APIC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2	
APIC-SERVER-M2	APIC Appliance - Medium Configuration (Upto 1000 Edge Ports)	1	
APIC-MRAID12G	Avila Cisco 12G SAS Modular Raid Controller (Raid 0/1)	1	
APIC-PSU1-770W	770W power supply for USC C-Series	1	
APIC-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	1	
APIC-TPM2-001	Trusted Platform Module	1	
R2XX-RAID0	Enable RAID 0 Setting	1	
APIC-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	2	
APIC-PSU1-770W	770W power supply for USC C-Series	1	
APIC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2	
APIC-SD240GBKS4-EV	240 GB 2.5 inch Enterprise Value 6G SATA SSD	1	
APIC-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	2	
APIC-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	2	
APIC-SD240GBKS4-EV	240 GB 2.5 inch Enterprise Value 6G SATA SSD	1	
APIC-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	2	
APIC-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	2	
APIC-SD240GBKS4-EV	240 GB 2.5 inch Enterprise Value 6G SATA SSD	1	

APIC-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	2	
APIC-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	2	
APIC-DK9-3.0	APIC Base Software Release 3.0	1	
APIC-DK9-3.0	APIC Base Software Release 3.0	1	
APIC-DK9-3.0	APIC Base Software Release 3.0	1	
N9K-C9336PQ	Nexus 9K ACI Spine, 36p 40G QSFP+	2	
ACI-N9KDK9-11.2	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 11.2	2	
N9K-C9300-ACK	Nexus 9K Fixed Accessory Kit	2	
N9K-C9300-RMK	Nexus 9K Fixed Rack Mount Kit	2	
N9K-C9300-FAN3-B	Nexus 9300 Fan 3, Port-side Exhaust	4	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4	
N9K-PAC-1200W-B	Nexus 9300 1200W AC PS, Port-side Exhaust	4	
SFP-H10GB-CU1M=	10GBASE-CU SFP+ Cable 1 Meter	6	
N9K-C93180YCEXB18Q	2 Nexus 93180YC-EX with 8 QSFP-40G-SR-BD	2	
N9K-C93180YC-EX-B	Nexus 93180YC-EX bundle PID	2	
N3K-C3064-ACC-KIT	Nexus 3K/9K Fixed Accessory Kit	2	
QSFP-40G-SR-BD	QSFP40G BiDi Short-reach Transceiver	8	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4	
NXA-PAC-650W-PE	Nexus NEBs AC 650W PSU - Port Side Exhaust	4	
NXA-FAN-30CFM-F	Nexus 2K/3K/9K Single Fan, port side exhaust airflow	8	
N9K-C93180YC-EX-B	Nexus 93180YC-EX bundle PID	2	
N3K-C3064-ACC-KIT	Nexus 3K/9K Fixed Accessory Kit	2	
QSFP-40G-SR-BD	QSFP40G BiDi Short-reach Transceiver	8	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4	
NXA-PAC-650W-PE	Nexus NEBs AC 650W PSU - Port Side Exhaust	4	
NXA-FAN-30CFM-F	Nexus 2K/3K/9K Single Fan, port side exhaust airflow	8	
ACI-N9KDK9-13.0	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 13.0	2	
N93-LIC-BUN-P1	N9300 LAN and ACI Software License Bundle PAK	2	
ACI-N9K-48X	ACI SW license for a 48p 1/10G Nexus 9K	2	
N93-LAN1K9	LAN Enterprise License for Nexus 9300 Platform	2	
ACI-N9KDK9-13.0	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 13.0	2	
N93-LIC-BUN-P1	N9300 LAN and ACI Software License Bundle PAK	2	
ACI-N9K-48X	ACI SW license for a 48p 1/10G Nexus 9K	2	
N93-LAN1K9	LAN Enterprise License for Nexus 9300 Platform	2	
N9K-C9336PQ	Nexus 9K ACI Spine, 36p 40G QSFP+	2	
ACI-N9KDK9-11.2	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 11.2	2	
N9K-C9300-ACK	Nexus 9K Fixed Accessory Kit	2	
N9K-C9300-RMK	Nexus 9K Fixed Rack Mount Kit	2	
N9K-C9300-FAN3-B	Nexus 9300 Fan 3, Port-side Exhaust	4	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4	
N9K-PAC-1200W-B	Nexus 9300 1200W AC PS, Port-side Exhaust	4	
N2K-C2248TP-E	N2K-C2248TP-E-1GE (48x100/1000-T+4x10GE), airflow/PS option	4	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	8	

N2248TP-E-FA-BUN	Standard Airflow pack:N2K-C2248TP-E-1GE, 2 AC PS, 1Fan	4	
N2K-C2248TF-E	Nexus 2248TP-E with 8 FET, choice of airflow/power	4	
FET-10G	10G Line Extender for FEX	32	
N2248TP-E-FA-BUN	Standard Airflow pack:N2K-C2248TP-E-1GE, 2 AC PS, 1Fan	4	
N2K-F10G-F10G	N2K Uplink option FET-10G to FET-10G	4	
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	8	
ACI-F48G=	ACI SW license for a 48p 1G Nexus 2K	8	
QSFP-40G-LR4-S=	QSFP 40GBASE-LR4 Trnscvr Mod, LC, 10km, Enterprise-Class	4	

Etap II - termin realizacji: 1 lutego 2018 (dostawa oraz uruchomienie wsparcia producenta)

Kod produktu	Opis	Ilość	CENA
SFP-H10GB-CU1M=	10GBASE-CU SFP+ Cable 1 Meter	8	
SFP-H10GB-CU3M=	10GBASE-CU SFP+ Cable 3 Meter	8	
SFP-H10GB-CU5M=	10GBASE-CU SFP+ Cable 5 Meter	8	
SFP-H10GB-ACU7M=	Active Twinax cable assembly, 7m	8	
SFP-H10GB-ACU10M=	Active Twinax cable assembly, 10m	8	
SFP-10G-SR-S=	10GBASE-SR SFP Module, Enterprise-Class	20	
CON-SSSNT-APIC3M2	SOLN SUPP 8X5XNBD APIC Cluster - Medium Configurations na okres 36 miesięcy	1	
CON-SNT-93180YB1	SNTC-8X5XNBD 2 Nexus 93180YC-EX w na okres 12 miesięcy	2	
CON-SNT-93180YBN	SNTC-8X5XNBD Nexus 93180YC-EX bun na okres 12 miesięcy	2	
CON-SNT-93180YBN	SNTC-8X5XNBD Nexus 93180YC-EX bun na okres 12 miesięcy	2	
CON-SNT-9336PQ	SNTC-8X5XNBD,Nexus 9336 ACI Spine switch with 36p 40G QS na okres 12 miesięcy	2	
CON-SNT-C2248TPE	SNTC 8X5XNBD N2K-C2248TP-E-1GE (48x100/1000-T+4x10GE),airfl na okres 12 miesięcy	4	
CON-SNT-2248EFA	SNTC-8X5XNBD Standard Airflow pack:N2K-C2248TP-E-1GE na okres 12 miesięcy	4	
CON-SNT-C2248TFE	SNTC 8X5XNBD Nexus 2248TP-E with 8 FET,choice of airflow/po na okres 12 miesięcy	4	
CON-SNT-2248EFA	SNTC-8X5XNBD Standard Airflow pack:N2K-C2248TP-E-1GE na okres 12 miesięcy	4	

Miejsce dostawy

Centrum Usług informatycznych we Wrocławiu, ul. Strzegomska 148, 54-429 Wrocław

Kontrakty serwisowe realizowane są na zasadach opisanych na stronie producenta sprzętu (Cisco Systems, Inc. z siedzibą w San Jose, Kalifornia, USA):
<http://www.cisco.com/web/services/portfolio/product-technical-support/smart-net-total-care/index.html>

Licencje udzielane są na warunkach ogólnych właściciela praw autorskich do oprogramowania (Cisco Systems, Inc. z siedzibą w San Jose, Kalifornia, USA).