

FORMULARZ CENOWY

ETAP I - termin realizacji: 14 dni od daty podpisania Umowy					
LP	Kod producenta	Opis	szt,	cena jednostkowa netto	wartość netto
Zestaw nr 1					
1	ACI-C9336-APIC-B1	ACI Bundle with 2 9336 and APIC	1		
Zestaw nr 2					
2	N9K-C93180YCEXB18Q	2 Nexus 93180YC-EX with 8 QSFP-40G-SR-BD	2		
Zestaw nr 3					
3	N9K-C9336PQ	Nexus 9K ACI Spine, 36p 40G QSFP+	2		
Zestaw nr 4					
4	N2K-C2248TP-E	N2K-C2248TP-E-1GE (48x100/1000-T+4x10GE), airflow/PS optio	4		
Zestaw nr 5					
5	N2K-C2248TF-E	Nexus 2248TP-E with 8 FET, choice of airflow/power	4		
Pozostałe elementy					
6	SFP-H10GB-CU1M=	10GBASE-CU SFP+ Cable 1 Meter	6		
7	QSFP-40G-LR4-S=	QSFP 40GBASE-LR4 Trnscvr Mod, LC, 10km, Enterprise-Class	4		
8	ACI-F48G=	ACI SW license for a 48p 1G Nexus 2K	8		
Suma netto etap I:					
ETAP II - termin realizacji: 1 lutego 2018 (dostawa oraz uruchomienie wsparcia producenta)					
LP	Kod producenta	Opis	szt,	cena jednostkowa netto	wartość netto
Kable					
1	SFP-H10GB-CU1M=	10GBASE-CU SFP+ Cable 1 Meter	8		
2	SFP-H10GB-CU3M=	10GBASE-CU SFP+ Cable 3 Meter	8		
3	SFP-H10GB-CU5M=	10GBASE-CU SFP+ Cable 5 Meter	8		
4	SFP-H10GB-ACU7M=	Active Twinax cable assembly, 7m	8		
5	SFP-H10GB-ACU10M=	Active Twinax cable assembly, 10m	8		
6	SFP-10G-SR-S=	10GBASE-SR SFP Module, Enterprise-Class	20		
Serwis 36 miesięcy do zestawu nr 1					
7	CON-SNT-9336PQ	SNTC-8X5XNBD,Nexus 9336 ACI Spine switch na okres 36 mc	2		
8	CON-SSSNT-APIC3M2	SOLN SUPP 8X5XNBD APIC Cluster - Medium Con. na okres 36	1		

Serwis 12 miesięcy do zestawu nr 2					
9	CON-SNT-93180YBN	SNTC-8X5XNBD Nexus 93180YC-EX bun na okres 12 mc	4		
Serwis 12 miesięcy do zestawu nr 3					
10	CON-SNT-9336PQ	SNTC-8X5XNBD, Nexus 9336 ACI Spine switch na okres 12 mc	2		
Serwis 12 miesięcy do zestawu nr 4					
11	CON-SNT-2248EFA	SNTC-8X5XNBD N2K-C2248TP-E-1GE na okres 12 mc	4		
Serwis 12 miesięcy do zestawu nr 5					
12	CON-SNT-2248EFA	SNTC-8X5XNBD N2K-C2248TP-E-1GE na okres 12 mc	4		
				Suma netto etap II:	

Wymagana zawartość Zestawu nr 1:		
Kod producenta	Opis	szt.
APIC-CLUSTER-M2	APIC Cluster - Medium Configurations (Up to 1000 Edge Ports)	1
APIC-MRAID12G	Avila Cisco 12G SAS Modular Raid Controller (Raid 0/1)	1
APIC-PSU1-770W	770W power supply for USC C-Series	1
APIC-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	1
APIC-TPM2-001	Trusted Platform Module	1
R2XX-RAID0	Enable RAID 0 Setting	1
APIC-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	2
APIC-PSU1-770W	770W power supply for USC C-Series	1
APIC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2
APIC-SERVER-M2	APIC Appliance - Medium Configuration (Upto 1000 Edge Ports)	1
APIC-MRAID12G	Avila Cisco 12G SAS Modular Raid Controller (Raid 0/1)	1
APIC-PSU1-770W	770W power supply for USC C-Series	1
APIC-SERVER-M2	APIC Appliance - Medium Configuration (Upto 1000 Edge Ports)	1
APIC-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	1
APIC-TPM2-001	Trusted Platform Module	1
R2XX-RAID0	Enable RAID 0 Setting	1
APIC-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	2
APIC-PSU1-770W	770W power supply for USC C-Series	1
APIC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2
APIC-SERVER-M2	APIC Appliance - Medium Configuration (Upto 1000 Edge Ports)	1
APIC-MRAID12G	Avila Cisco 12G SAS Modular Raid Controller (Raid 0/1)	1

APIC-PSU1-770W	770W power supply for USC C-Series	1
APIC-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	1
APIC-TPM2-001	Trusted Platform Module	1
R2XX-RAID0	Enable RAID 0 Setting	1
APIC-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	2
APIC-PSU1-770W	770W power supply for USC C-Series	1
APIC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	2
APIC-SD240GBKS4-EV	240 GB 2.5 inch Enterprise Value 6G SATA SSD	1
APIC-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	2
APIC-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	2
APIC-SD240GBKS4-EV	240 GB 2.5 inch Enterprise Value 6G SATA SSD	1
APIC-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	2
APIC-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	2
APIC-SD240GBKS4-EV	240 GB 2.5 inch Enterprise Value 6G SATA SSD	1
APIC-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	2
APIC-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	2
APIC-DK9-3.0	APIC Base Software Release 3.0	1
APIC-DK9-3.0	APIC Base Software Release 3.0	1
APIC-DK9-3.0	APIC Base Software Release 3.0	1
N9K-C9336PQ	Nexus 9K ACI Spine, 36p 40G QSFP+	2
ACI-N9KDK9-11.2	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 11.2	2
N9K-C9300-ACK	Nexus 9K Fixed Accessory Kit	2
N9K-C9300-RMK	Nexus 9K Fixed Rack Mount Kit	2
N9K-C9300-FAN3-B	Nexus 9300 Fan 3, Port-side Exhaust	4
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4
N9K-PAC-1200W-B	Nexus 9300 1200W AC PS, Port-side Exhaust	4

Wymagana zawartość Zestawu nr 2:		
Kod producenta	Opis	szt.
N9K-C93180YC-EX-B	Nexus 93180YC-EX bundle PID	2
N3K-C3064-ACC-KIT	Nexus 3K/9K Fixed Accessory Kit	2
QSFP-40G-SR-BD	QSFP40G BiDi Short-reach Transceiver	8
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4
NXA-PAC-650W-PE	Nexus NEBs AC 650W PSU - Port Side Exhaust	4
NXA-FAN-30CFM-F	Nexus 2K/3K/9K Single Fan, port side exhaust airflow	8

N9K-C93180YC-EX-B	Nexus 93180YC-EX bundle PID	2
N3K-C3064-ACC-KIT	Nexus 3K/9K Fixed Accessory Kit	2
QSFP-40G-SR-BD	QSFP40G BiDi Short-reach Transceiver	8
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4
NXA-PAC-650W-PE	Nexus NEBs AC 650W PSU - Port Side Exhaust	4
NXA-FAN-30CFM-F	Nexus 2K/3K/9K Single Fan, port side exhaust airflow	8
ACI-N9KDK9-13.0	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 13.0	2
N93-LIC-BUN-P1	N9300 LAN and ACI Software License Bundle PAK	2
ACI-N9K-48X	ACI SW license for a 48p 1/10G Nexus 9K	2
N93-LAN1K9	LAN Enterprise License for Nexus 9300 Platform	2
ACI-N9KDK9-13.0	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 13.0	2
N93-LIC-BUN-P1	N9300 LAN and ACI Software License Bundle PAK	2
ACI-N9K-48X	ACI SW license for a 48p 1/10G Nexus 9K	2
N93-LAN1K9	LAN Enterprise License for Nexus 9300 Platform	2

Wymagana zawartość Zestawu nr 3:		
Kod producenta	Opis	szt.
N9K-C9336PQ	Nexus 9K ACI Spine, 36p 40G QSFP+	2
ACI-N9KDK9-11.2	Nexus 9500 or 9300 ACI Base Software NX-OS Rel 11.2	2
N9K-C9300-ACK	Nexus 9K Fixed Accessory Kit	2
N9K-C9300-RMK	Nexus 9K Fixed Rack Mount Kit	2
N9K-C9300-FAN3-B	Nexus 9300 Fan 3, Port-side Exhaust	4
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	4
N9K-PAC-1200W-B	Nexus 9300 1200W AC PS, Port-side Exhaust	4

Wymagana zawartość Zestawu nr 4:		
Kod producenta	Opis	szt.
N2K-C2248TP-E	N2K-C2248TP-E-1GE (48x100/1000-T+4x10GE), airflow/PS option	4
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	8
N2248TP-E-FA-BUN	Standard Airflow pack:N2K-C2248TP-E-1GE, 2 AC PS, 1Fan	4

Wymagana zawartość Zestawu nr 5:		
Kod producenta	Opis	szt.
N2K-C2248TF-E	Nexus 2248TP-E with 8 FET, choice of airflow/power	4
FET-10G	10G Line Extender for FEX	32
N2248TP-E-FA-BUN	Standard Airflow pack:N2K-C2248TP-E-1GE, 2 AC PS, 1Fan	4

N2K-F10G-F10G	N2K Uplink option FET-10G to FET-10G	4
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	8

Data:

Podpis Wykonawcy: